


### Vector Map: PX(PY) detail

Vector Name:	pFLCI
Original Vector:	pBluescript KS(+)
1st Primer for cDNA library construction:	1st-BS primer
2nd Primer for cDNA library construction:	2nd-NX/X primer
Cloning Site (5'>3'):	SalI/XhoI, SstI, BamHI
Sequence Primer (Fwd, 5'):	M13-21
Sequence Primer (Rev, 3'):	1233


FLCI After Excision (1st-BS, 2nd-NX/X)



```

TAACGCCAGGGTTTTCCAGTCACGACGTTGTAAAAAACGACGGCCAGTGAATT
                                     Fwd Primer
GTAATACGACTCACTATAGGGCGAATTGGAGCTCCACCGCGGTGGCGGCCGC
T7 Promoter
ATAACTTCGTATAGCATACATTATACGAAGTTATGGATCAGGCCAAATCGGC
Sfi I
CGAGCTCGAATTCGTCGAGTTAATTAATTAATCCCCCCCCCCCCC==cDNA
Sal I /Xho I
=>AAAAAAAAAAAAAAAAAGAGCTCTTGGATCCGGCCATAAGGGCCTGATCCT
Sst I BamHI Sfi I
TCGAGGGGGGGCCCGGTACCAGCTTTTGTTCCTTTAGTGAGGGTTAATTC
T3 Promoter
GAGCTTGGCGTAATCATGGTCATAGCTGTTTCCTGTGTGAAATTGTTATCCG
Rev Primer(1233)
CTCACAATTCCACACAACATACGAGCCGGAAG
    
```





AGCATTTATCAGGGTTATTGTCTCATGAGCGGATACATATTTGAATGTATTTAGAAAA  
TAAACAAATAGGGGTTCGCGCACATTTCCCCGAAAAGTGC